
Attorney Docket No. 89B010A/3


2

In the Claims

1. - 26. (cancelled)

27. (previously presented) A compound having the general formula:





wherein M is Zr, Hf or Ti;

 $(C_5H_{5-x}R_x)$ is a cyclopentadienyl ring which is substituted with from zero to five substituent groups "R", "x" is 0, 1, 2, 3, 4 or 5 denoting the degree of substitution, and each substituent group "R" is, independently, a radical selected from the group consisting of C_1 - C_{20} hydrocarbyl radicals, substituted C_1 - C_{20} hydrocarbyl radicals wherein one or more hydrogen atoms is replaced by a halogen atom, C_1 - C_{20} hydrocarbyl-substituted metalloid radicals wherein the metalloid is selected from the group IV A of the Periodic Table of Elements, and halogen radicals, or $(C_5H_{5-x}R_x)$ is a cyclopentadienyl ring in which two adjacent "R" groups are joined forming a C_4 - C_{20} ring to give a saturated or unsaturated polycyclic cyclopentadienyl ligand;

(JR'z-1) is a heteroatom ligand in which J is an element with a coordination number of

Attorney Docket No. 89B010A/3

3

three from Group V-A or an element with a coordination number of two from Group VI-A of the Periodic Table of Elements, each "R" is, independently, a radical selected from a group consisting of C₁-C₂₀ hydrocarbyl radicals, substituted C₁-C₂₀ hydrocarbyl radicals where one or more hydrogen atoms is replaced by a halogen radical, and z is the coordination number of the element "J";

each "Q" is, independently, a univalent anionic ligand or two "Q"s together are a divalent anionic chelating ligand, provided that "Q" is different from (C₅H_{5-x}R_x);

"L" is a neutral Lewis base where "w" is a number greater than 0 and up to 3;

"M" has the same meaning as "M"; and

"Q" has the same meaning as "Q".

28. - 40. (cancelled)

41. (cancelled)


42. - 43. (cancelled)

- 44. (Previously presented) The compound of claim 27 wherein each Q is independently selected from the group consisting of halogen, hydride or C_1 - C_{20} hydrocarbyl.
- 45. (Previously presented) The compound of claim 27 herein each Q is independently selected from the group consisting of hydride, methyl, ethyl, propyl, butyl, amyl, hexyl, heptyl, octyl, nonyl, decyl, cetyl, phenyl, chloro, bromo, fluoro, and iodo.
 - 46. (Previously presented) The compound of claim 27 herein M is Zr.
 - 47. (Previously presented) The compound of claim 27 wherein M is Hf.
 - 48. (New) A compound having the general formula

Attorney Docket No. 89B010A/3

USSN: 07/728,428

OT



4

wherein M is Zr or Hf;

M' has the same meaning as M;

 $(C_5H_{5-y-x}R_x)$ is a cyclopentadienyl ring which is substituted with from zero to five substituent groups R, x is 0, 1, 2, 3, 4 or 5 denoting the degree of substitution, and each substituent group R is, independently, a radical selected from the group consisting of C_1 - C_{20} hydrocarbyl radicals, substituted C_1 - C_{20} hydrocarbyl radicals wherein one or more hydrogen atoms is replaced by a halogen atom, C_1 - C_{20} hydrocarbyl-substituted metalloid radicals wherein the metalloid is selected from the group IV A of the Periodic Table of Elements, and halogen radicals, or $(C_5H_{5-y-x}R_x)$ is a cyclopentadienyl ring in which two adjacent R substituents are joined forming a C_4 - C_{20} ring to give a saturated or unsaturated polycyclic cyclopentadienyl ligand;

 (JR'_{z-1-y}) is a heteroatom ligand in which J is an element with a coordination number of three from group V-A or an element with a coordination number of two from Group VI-A of the Periodic Table of Elements, and each R' is a radical selected from the group consisting of C_1 - C_{20} hydrocarbyl radicals, substituted C_1 - C_{20} hydrocarbyl radicals where one or more hydrogen atoms is replaced by a halogen radical, and z is the coordination number of the element J;

Attorney Docket No. 89B010A/3

5

each Q is, independently, a univalent anionic ligand or two Q's together are a divalent anionic chelating ligand, provided that Q is not a substituted or unsubstituted cyclopentadienyl ring;

Q' has the same meaning as Q;

- y is 1; T is a covalent bridging group containing a Group IV-A or V-A element; and L is a neutral Lewis base where w denotes the number 0 or 1.
- 49. (New) The compound of claim 48 wherein each Q is independently selected from the group consisting of halogen, hydride or C₁-C₂₀ hydrocarbyl.
- 50. (New) The compound of claim 48 herein each Q is independently selected from the group consisting of hydride, methyl, ethyl, propyl, butyl, amyl, hexyl, heptyl, octyl, nonyl, decyl, cetyl, phenyl, chloro, bromo, fluoro, and iodo.
 - 51. (New) The compound of claim 48 herein M is Zr.
 - 52. (New) The compound of claim 48 wherein M is Hf.
 - 53. (New) The compound of claim 48 wherein M is Ti.
- 54. (New) The compound of claim 48 wherein J is nitrogen, oxygen, phosphorus, or sulfur.
 - 55. (New) The compound of claim 48 wherein J is nitrogen.
- 56. (New) The compound of claim 48 wherein $(C_5H_{5-y-x}R_x)$ is indenyl, tetrahydroindenyl, fluorenyl, of octahydrofluorenyl.

Attorney Docket No. 89B010A/3

6

- 57. (New) The compound of claim 48 wherein T is a dialkyl, alkylaryl, or diaryl silicon or germanium radical, alkyl or aryl phosphine or amine radical, or a hydrocarbyl radical.
 - 58. (New) The compound of claim 48 wherein T is a dialkyl silicon radical.
 - 59. (New) The compound of claim 48 wherein T is a hydrocarbyl radical.
 - 60. (New) The compound of claim 48 wherein T is methylene of ethylene.
 - 61. (New) The compound of claim 48 wherein T is dimethylsilyl.
 - 62. (New) The compound of claim 48 wherein T is diphenylsilyl
- 63. (New) The compound of claim 1 wherein Q is a halogen or C_1 to C_{20} hydrocarbyl radical.